bs-43601R

[Primary Antibody]

www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn

PDGFRA Rabbit pAb

DATASHEET —

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

GenelD: 5156 **SWISS:** P16234

Target: PDGFRA

Immunogen: Recombinant human PDGFRA protein: 32-488/1089.

Purification: affinity purified by Protein A

Concentration: 1mg/ml

Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50%

Shipped at 4°C. Store at -20°C for one year. Avoid repeated

freeze/thaw cycles.

Background: This gene encodes a cell surface tyrosine kinase receptor for members of the platelet-derived growth factor family. These growth factors are mitogens for cells of mesenchymal origin. The identity of the growth factor bound to a receptor monomer determines whether the functional receptor is a homodimer or a heterodimer, composed of both platelet-derived growth factor receptor alpha and beta polypeptides. Studies suggest that this gene plays a role in organ development, wound healing, and tumor progression. Mutations in this gene have been associated with idiopathic hypereosinophilic syndrome, somatic and familial gastrointestinal stromal tumors, and a variety of other cancers.

[provided by RefSeq, Mar 2012].

Applications: WB (1:500-2000)


400-901-9800

Reactivity: Mouse (predicted: Human)

Predicted MW.: 117 kDa

Subcellular Cell membrane

VALIDATION IMAGES



25 ug total protein per lane of various lysates (see on figure) probed with PDGFRA polyclonal antibody, unconjugated (bs-43601R) at 1:1000 dilution and 4°C overnight incubation. Followed by conjugated secondary antibody incubation at r.t. for 60 min.