

bs-1840R**[Primary Antibody]****lamin B1 Rabbit pAb****Bioss**
ANTIBODIES

www.bioss.com.cn


sales@bioss.com.cn

techsupport@bioss.com.cn

400-901-9800

— DATASHEET —

Host: Rabbit Clonality: Polyclonal GeneID: 4001 Target: lamin B1 Immunogen: KLH conjugated synthetic peptide derived from human Lamin B: 361-460/586. Purification: affinity purified by Protein A Concentration: 1mg/ml Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles. Background: The nuclear lamina consists of a two-dimensional matrix of proteins located next to the inner nuclear membrane. The lamin family of proteins make up the matrix and are highly conserved in evolution. During mitosis, the lamina matrix is reversibly disassembled as the lamin proteins are phosphorylated. Lamin proteins are thought to be involved in nuclear stability, chromatin structure and gene expression. Vertebrate lamins consist of two types, A and B. This gene encodes one of the two B type proteins, B1. Alternative splicing results in transcript variants and a duplication of this gene is associated with autosomal dominant adult-onset leukodystrophy (ADLD). [provided by RefSeq, Oct 2010].	Isotype: IgG SWISS: P20700	Applications: WB (1:500-2000) Reactivity: Mouse Predicted MW.: 64 kDa Subcellular Location: Nucleus
---	---	--

— VALIDATION IMAGES —

25 ug total protein per lane of various lysates (see on figure) probed with lamin B1 polyclonal antibody, unconjugated (bs-1840R) at 1:1000 dilution and 4°C overnight incubation. Followed by conjugated secondary antibody incubation at r.t. for 60 min.

— SELECTED CITATIONS —

- **[IF=14.224]** Biqi Han. et al. Effects of thiacloprid exposure on microbiota–gut–liver axis: Multiomics mechanistic analysis in Japanese quails. J HAZARD MATER. 2023 Jan;442:130082 WB ;Quail. 36209609
- **[IF=10.679]** Pan J et al. lncRNA JPX/miR-33a-5p/Twist1 axis regulates tumorigenesis and metastasis of lung cancer by activating Wnt/β-catenin signaling. Mol Cancer. 2020 Jan 15;19(1):9. WB ;Human. 31941509
- **[IF=9.988]** Jia-Xin Wang. et al. Heme-oxygenase-1 as a target for phthalate-induced cardiomyocytes ferroptosis. ENVIRON POLLUT. 2023 Jan;317:120717 WB ;Mouse. 36423886
- **[IF=9.078]** Chun Dai. et al. A novel UV-curable extravascular stent to prevent restenosis of venous grafts. Compos Part B-Eng. 2021 Nov;225:109260 WB ;Rat. 10.1016/j.compositesb.2021.109260

Important Note: This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

- **[IF=6.6]** Seung Yeon Lee. et al. Anti-Inflammasome Effect of Impressic Acid on Diesel Exhaust Particulate Matter-Induced NLRP1 Inflammasome via the Keap1/p62/Nrf2-Signaling Pathway in Keratinocytes. ANTIOXIDANTS-BASEL. 2025 May;14(5):610 WB ;Human. 40427491