

**bs-0746R**

**[ Primary Antibody ]**

## HHV8 ORF50 Rabbit pAb



www.bioss.com.cn

sales@bioss.com.cn

techsupport@bioss.com.cn

400-901-9800

### — DATASHEET —

<p><b>Host:</b> Rabbit</p> <p><b>Clonality:</b> Polyclonal</p> <p><b>Target:</b> HHV8 ORF50</p> <p><b>Immunogen:</b> KLH conjugated synthetic peptide derived from HHV8 ORF50: 2-100/691.</p> <p><b>Purification:</b> affinity purified by Protein A</p> <p><b>Concentration:</b> 1mg/ml</p> <p><b>Storage:</b> 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.</p> <p><b>Background:</b> HHV8 has been found to be associated with three different diseases observed in AIDS patients; kaposi's sarcoma, primary effusion lymphoma (which is a rare type of non-Hodgkin lymphoma affecting the body cavities) and multicentric Castleman's disease. To date there is much evidence to support a direct role for HHV8 in kaposi's sarcoma.</p>	<p><b>Isotype:</b> IgG</p> <p><b>Applications:</b> <b>ELISA</b> (1:5000-10000)</p> <p><b>Reactivity:</b> (predicted: HHV8)</p> <p><b>Predicted MW.:</b> 74 kDa</p>
--	--

### — SELECTED CITATIONS —

- **[IF=20.693]** Myung-Ju Lee. et al. CXCL1 confers a survival advantage in Kaposi's sarcoma-associated herpesvirus-infected human endothelial cells through STAT3 phosphorylation. J MED VIROL. 2022 Jul; WB ;Human. 35869037