bs-6181R

[Primary Antibody]

www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

DATASHEET -

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Nectin 3 Rabbit pAb

GenelD: 25945 SWISS: Q9NQS3

Target: Nectin 3

Immunogen: KLH conjugated synthetic peptide derived from human Nectin 3:

431-549/549.

Purification: affinity purified by Protein A

Concentration: 1mg/ml

Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50%

Glycerol.

Shipped at 4°C. Store at -20°C for one year. Avoid repeated

freeze/thaw cycles.

Background: Nectins are immunoglobulin-like adhesion molecules that interact

with afadin. Afadin is an actin filament-binding protein that connects nectins to the actin cytoskeleton. The nectin-afadin system organizes adherens junctions cooperatively with the cadherin-catenin system in epithelial cells. The nectin/PRR-family consists of four members, nectin-1, -2, -3 and -4. All the members of the nectin family have two or three slice variants. Nectin 3 is mainly expressed in testis and placental tissues and interacts in

vivo with both long and short isoforms of afadin.

Applications: WB (1:500-2000)


Reactivity: Human, Mouse

(predicted: Rat, Rabbit,


Predicted 55 kDa MW.:

Subcellular Location: Cell membrane

VALIDATION IMAGES



Sample: Epididymis (Mouse) Lysate at 40 ug Primary: Anti- Nectin 3 (bs-6181R) at 1/1000 dilution Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution Predicted band size: 55 kD Observed band size: 55 kD



Sample: HUVEC(Human) Cell Lysate at 30 ug Primary: Anti- Nectin 3 (bs-6181R) at 1/1000 dilution Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution Predicted band size: 55 kD Observed band size: 55 kD

— SELECTED CITATIONS –

- [IF=4.6] Qi Wan. et al. Astragalus Polysaccharide Alleviates Ulcerative Colitis by Regulating the Balance of mTh17/mTreg Cells through TIGIT/CD155 Signaling. MOLECULES. 2024 Jan;29(1):241 WB, IF; Mouse. 10.3390/molecules29010241
- [IF=3.77] Sheldon R. Gordon. et al. Evidence that Nectin-3 is the soybean agglutinin binding protein on rat corneal endothelium cell surfaces. EXP EYE RES. 2022 Oct;223:109212 ICC; Rat. 35964705