

**bsm-0945M****[ Primary Antibody ]**

## Human Serum albumin Mouse mAb, Loading Control

**BioSS**  
ANTIBODIES

www.bioss.com.cn

sales@bioss.com.cn


techsupport@bioss.com.cn

400-901-9800

### — DATASHEET —

<b>Host:</b> Mouse	<b>Isotype:</b> IgG1	<b>Applications:</b> WB (1:500-2000)
<b>Clonality:</b> Monoclonal	<b>CloneNo.:</b> 3F4	
<b>GeneID:</b> 213	<b>SWISS:</b> P02768	
<b>Target:</b> Human Serum albumin		
<b>Purification:</b> affinity purified by Protein G		
<b>Concentration:</b> 1mg/ml		
<b>Storage:</b> Size : 50ul/100ul/500ul 0.01M TBS (pH7.4) with 0.02% Proclin300 and 50% Glycerol. Size : 200ug (PBS only) 0.01M PBS Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		<b>Reactivity:</b> Human, Mouse (predicted: Rat, Pig)
<b>Background:</b> This gene encodes the most abundant protein in human blood. This protein functions in the regulation of blood plasma colloid osmotic pressure and acts as a carrier protein for a wide range of endogenous molecules including hormones, fatty acids, and metabolites, as well as exogenous drugs. Additionally, this protein exhibits an esterase-like activity with broad substrate specificity. The encoded preproprotein is proteolytically processed to generate the mature protein. A peptide derived from this protein, EPI-X4, is an endogenous inhibitor of the CXCR4 chemokine receptor. [provided by RefSeq, Jul 2016]		<b>Predicted MW.:</b> 69 kDa
		<b>Subcellular Location:</b> Secreted

### — VALIDATION IMAGES —



Sample: Lane 1: Serum (Human) at 20 ug  
Primary: Anti-Serum albumin (bsm-0945M) at 1/1000 dilution Secondary: IRDye800CW Goat Anti-Mouse IgG at 1/20000 dilution Predicted band size: 67 kD Observed band size: 67 kD

### — SELECTED CITATIONS —

- **[IF=7.7]** Keshav Thapa. et al. Melanocortin 1 receptor regulates cholesterol and bile acid metabolism in the liver. ELIFE. 2023 Jul IF ;Mouse. 37490042