

www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

ZC3H3 Rabbit pAb

Catalog Number: bs-18465R

Target Protein: ZC3H3
Concentration: 1mg/ml

Form: Liquid Host: Rabbit

Clonality: Polyclonal

Isotype: IgG

Applications: IHC-P (1:100-500), IHC-F (1:100-500), IF (1:100-500), ICC/IF (1:100-500), ELISA (1:5000-10000)

Reactivity: (predicted:Human, Mouse, Rat, Horse)

Predicted MW: 103 kDa Subcellular Nucleus

Locations:

Entrez Gene: 23144 Swiss Prot: Q8IXZ2

Source: KLH conjugated synthetic peptide derived from human ZC3H3: 851-948/948.

Purification: affinity purified by Protein A

Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.

Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

Background: ZC3HDC3 is a 948 amino acid protein that contains five C3H1-type zinc finger domains.

ZC3HDC3 plays a regulatory role in nuclear adenylation and export. Two isoforms of ZC3H13

exists as a result of alternative splicing events. The gene encoding ZC3H13 maps to chromosome 8, which encodes about 800 genes. Translocation of portions of chromosome 8 with amplifications of the c-Myc gene are found in some leukemias and lymphomas, and typically associated with a poor prognosis. Portions of chromosome 8 have been linked to schizophrenia and bipolar disorder. Trisomy 8, also known as Warkany syndrome 2, most often results in early miscarriage but is occasionally seen in a mosaic form in surviving

mental and motor development, and certain facial and developmental defects.

patients who suffer to a varying degree from a number of symptoms including retarded