

www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

GRP Rabbit pAb

Catalog Number: bs-14364R

Target Protein: GRP
Concentration: 1mg/ml

Form: Liquid

Host: Rabbit

Clonality: Polyclonal

Isotype: IgG

Applications: IHC-P (1:100-500), IHC-F (1:100-500), IF (1:100-500)

Reactivity: Rat (predicted:Mouse)

Predicted MW: 3 kDa
Entrez Gene: 225642
Swiss Prot: Q8R112

Source: KLH conjugated synthetic peptide derived from mouse Gastrin Releasing Peptide:

24-52/146.

Purification: affinity purified by Protein A

Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.

Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.


Background: This gene encodes a member of the bombesin-like family of gastrin-releasing peptides. The

encoded preproprotein is proteolytically processed to generate two peptides, gastrinreleasing peptide and neuromedin-C. These peptides regulate numerous functions of the

gastrointestinal and central nervous systems, including release of gastrointestinal

hormones, smooth muscle cell contraction, and epithelial cell proliferation. These peptides are also likely to play a role in human cancers of the lung, colon, stomach, pancreas, breast, and prostate. Alternative splicing results in multiple transcript variants, at least one of which encodes a preproprotein that is proteolytically processed. [provided by RefSeq, Jan 2016].

VALIDATION IMAGES



Tissue/cell: Rat brain tissue; 4% Paraformaldehyde-fixed and paraffin-embedded; Antigen retrieval: citrate buffer (0.01M, pH 6.0), Boiling bathing for 15min; Block endogenous peroxidase by 3% Hydrogen peroxide for 30min; Blocking buffer (normal goat serum,C-0005) at 37°C for 20 min; Incubation: Anti-GRP10 Polyclonal Antibody, Unconjugated(bs-14364R) 1:500, overnight at 4°C, followed by conjugation to the secondary antibody(SP-0023) and DAB(C-0010) staining

PRODUCT SPECIFIC PUBLICATIONS

0 000] Vission Coo et al. Luminanhava Confere Funitariaire Funitariaire Funitariaire Funitariaire Funitariaire	t Fran
[IF=8.008] Xuwen Gao. et al. Luminophore-Surface-Engineering-Enabled Low-Triggering-Potential and Coreactant-Free	
rochemiluminescence for Protein Determination. ANAL CHEM. 2023;95(17):6948–6954 Other; . 37083347	