bs-2704R

[Primary Antibody]

SIGLEC6 Rabbit pAb



www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

– DATASHEET –––––		400-901-9800
Host: Rabbit Clonality: Polyclonal	lsotype: IgG	Applications: IHC-P (1:100-500) IHC-F (1:100-500)
GenelD: 946	SWISS: 043699	IF (1:100-500) ELISA (1:5000-10000)
Target: SIGLEC6 Immunogen: KLH conjugated synthetic peptide derived from human SIGLEC6: 101-200/453. < Extracellular >		Reactivity:(predicted: Human, Mouse,LEC6:Rat, Dog, Horse)
Purification: affinity purified by Protein A Concentration: 1mg/ml Characteristic (1974) - it to (1974) - it concentration: 1 mg/ml		Predicted MW.: ^{47 kDa}
Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		Subcellular Location: Secreted ,Cell membrane
Background: Putative adhesion molecule that mediates sialic-acid dependent binding to cells. Binds to alpha2,6-linked sialic acid. The sialic acid recognition site may be masked by cis interactions with sialic acids on the same cell surface.		lic acid

- SELECTED CITATIONS -

• [IF=4.1] Dehua Huang. et al. Combining Metabolomics and Quantitative Analysis to Investigate Purine Metabolism Disorders in Depression and the Therapeutic Effect of Chaigui Granules. ACS CHEM NEUROSCI. 2025;XXXX(XXX):XXX-XXX WB ;Rat. 40209102