

www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

ATP1B2 Rabbit pAb

Catalog Number: bs-1152R
Target Protein: ATP1B2

Concentration: 1mg/ml

Form: Liquid Host: Rabbit

Clonality: Polyclonal

Isotype: IgG

Applications: WB (1:200-1000)

Reactivity: Mouse, Rat (predicted:Human)

Predicted MW: 33 kDa Entrez Gene: 482

Swiss Prot: P14415

Source: KLH conjugated synthetic peptide derived from human ATP1b2: 201-290/290.

Purification: affinity purified by Protein A

Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.

Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

Background: The protein encoded by this gene belongs to the family of Na+/K+ and H+/K+ ATPases beta

chain proteins, and to the subfamily of Na+/K+ -ATPases. Na+/K+ -ATPase is an integral membrane protein responsible for establishing and maintaining the electrochemical gradients of Na and K ions across the plasma membrane. These gradients are essential for

osmoregulation, for sodium-coupled transport of a variety of organic and inorganic

molecules, and for electrical excitability of nerve and muscle. This enzyme is composed of two subunits, a large catalytic subunit (alpha) and a smaller glycoprotein subunit (beta). The


beta subunit regulates, through assembly of alpha/beta heterodimers, the number of

sodium pumps transported to the plasma membrane. The glycoprotein subunit of Na+/K+ -

ATPase is encoded by multiple genes. This gene encodes a beta 2 subunit. [provided by

RefSeq, Jul 2008]

VALIDATION IMAGES



Sample: Lane 1: Mouse Cerebrum tissue lysates Lane 2: Rat Cerebrum tissue lysates Primary: Anti- ATPase Na+/ K+ beta 2 (bs-1152R) at 1/200 dilution Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution Predicted band size: 33 kDa Observed band size: 50 kDa

PRODUCT SPECIFIC PUBLICATIONS

[IF=41.444] Sun, Zeguo. et al. LINE-1 promotes tumorigenicity and exacerbates tumor progression via stimulating metabolism reprogramming in non-small cell lung cancer. MOL CANCER. 2022 Dec;21(1):1-24 WB; Human . 35842613

[IF=6.304] Shiman Zuo. et al. Establishment of a novel mesenchymal stem cell-based regimen for chronic myeloid leukemia differentiation therapy. Cell Death Dis. 2021 Feb;12(2):1-15 WB; Human . 33627636

[IF=4.088] Yanhui Jia. et al. The deacetylation of Akt by SIRT1 inhibits inflammation in macrophages and protects against sepsis. EXP BIOL MED.;(): WB; Human, Mouse. 37211747

[IF=1.689] Wang HY et al. Occludin Endocytosis is Involved in Disruption of the Intestinal Epithelial Barrier in a Mouse Model of Alcoholic Steatohepatitis. J Dig Dis. 2019 Jul 12. WB; Human . 31298798