

bs-17703R

[Primary Antibody]

phospho-Moesin (Thr558) Rabbit pAb

BioSS
ANTIBODIES

www.bioss.com.cn

sales@bioss.com.cn

techsupport@bioss.com.cn

400-901-9800

— DATASHEET —

| | |
|--|---|
| <p>Host: Rabbit</p> <p>Clonality: Polyclonal</p> <p>Target: phospho-Moesin (Thr558)</p> <p>Immunogen: KLH conjugated synthesised phosphopeptide derived from human Moesin around the phosphorylation site of Thr558: YK(p-T)LR.</p> <p>Purification: affinity purified by Protein A</p> <p>Concentration: 1mg/ml</p> <p>Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.</p> <p>Background: Moesin (for membrane-organizing extension spike protein) is a member of the ERM family which includes ezrin and radixin. ERM proteins appear to function as cross-linkers between plasma membranes and actin-based cytoskeletons. Moesin is localized to filopodia and other membranous protrusions that are important for cell-cell recognition and signaling and for cell movement. [provided by RefSeq, Jul 2008]</p> | <p>Isotype: IgG</p> <p>GeneID: 4478</p> <p>Applications: WB (1:500-2000) IHC-P (1:100-500) IHC-F (1:100-500) IF (1:100-500) ICC/IF (1:100-500) ELISA (1:5000-10000)</p> <p>Reactivity: (predicted: Human, Mouse, Rat, Pig, Sheep, Cow)</p> <p>Predicted MW: 68 kDa</p> <p>Subcellular Location: Cytoplasm</p> |
|--|---|

— VALIDATION IMAGES —