

www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

MAGEA2 Rabbit pAb

Catalog Number: bs-6819R Target Protein: MAGEA2

Concentration: 1mg/ml

Form: Liquid Host: Rabbit

Clonality: Polyclonal

Isotype: IgG

Applications: IHC-P (1:100-500), IHC-F (1:100-500), IF (1:100-500)

Reactivity: Human
Predicted MW: 35 kDa
Entrez Gene: 266740
Swiss Prot: P43356

Source: KLH conjugated synthetic peptide derived from human MAGEA2: 101-200/314.

Purification: affinity purified by Protein A

Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.

Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

Background: This gene is a member of the MAGEA gene family. The members of this family encode

have been identified for this gene. [provided by RefSeq, Jul 2008]

proteins with 50 to 80% sequence identity to each other. The promoters and first exons of the MAGEA genes show considerable variability, suggesting that the existence of this gene family enables the same function to be expressed under different transcriptional controls. The MAGEA genes are clustered at chromosomal location Xq28. They have been implicated in some hereditary disorders, such as dyskeratosis congenita. This gene has two identical copies at different loci. Alternatively spliced transcript variants encoding the same protein

VALIDATION IMAGES



Paraformaldehyde-fixed, paraffin embedded (Human brain glioma); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37°C for 30min; Antibody incubation with (MAGEA2) Polyclonal Antibody, Unconjugated (bs-6819R) at 1:100 overnight at 4°C, followed by a conjugated Goat Anti-Rabbit IgG antibody (bs-0295G-Cy3) for 90 minutes, and DAPI for nuclei staining.

PRODUCT SPECIFIC PUBLICATIONS

