bs-17744R

[Primary Antibody]

MPZL Rabbit pAb

www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

DATASHEET -

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

GenelD: 9019 **SWISS:** 095297

Target: MPZL

Immunogen: KLH conjugated synthetic peptide derived from human MPZL:

61-160/269. < Extracellular >

Purification: affinity purified by Protein A

Concentration: 1mg/ml

Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50%

Glycerol.

Shipped at 4°C. Store at -20°C for one year. Avoid repeated

freeze/thaw cycles.

Background: MPZL1 is a 269 amino acid widely expressed single-pass type I membrane receptor belonging to the myelin P0 protein family and the immunoglobulin superfamily. MPZL2 (myelin protein zero-like 2), also known as EVA (epithelial V-like antigen) or EVA1, is a 215 amino acid single-pass type I membrane protein that contains one Ig-like V-type (immunoglobulin-like) domain and two potential Nglycosylation sites in its extracellular domain, MPZL2 is expressed in thymus epithelium and is strongly down-regulated by thymocyte developmental progression. MPZL3 (myelin protein zero-like 3) is a 235 amino acid single-pass type I membrane protein that regulates homophilic cell-to-cell adhesion. A member of the myelin P0 protein family, MPZL3 contains one Ig-like V-type (immunoglobulin-like) domain and is expressed in brain, heart, liver and skin. g to the myelin P0 protein family and the immunoglobulin superfamily. Existing as four alternatively spliced isoforms, MPZL1 participates in signal transduction and cell migration.

Applications: WB (1:500-2000)

Reactivity: Mouse (predicted: Human,


Rat, Rabbit, Sheep, Cow,

Dog, Horse)

Predicted 26 kDa MW.:

Subcellular Cell membrane

VALIDATION IMAGES -



Sample: Kidney(Mouse) Cell Lysate at 40 ug Primary: Anti-MPZL (bs-17744R) at 1/300 dilution Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution Predicted band size: 26 kD Observed band size: 26 kD