

www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

Thyroid peroxidase Rabbit pAb

Catalog Number: bs-23884R

Target Protein: Thyroid peroxidase

Concentration: 1mg/ml

Form: Liquid Host: Rabbit

Clonality: Polyclonal

Isotype: IgG

Applications: WB (1:500-2000)

Reactivity: Human, Mouse (predicted:Rat, Rabbit, Cow)

Predicted MW: 101 kDa Entrez Gene: 7173 Swiss Prot: P07202

Source: KLH conjugated synthetic peptide derived from human Thyroid peroxidase: 261-360/933.

Purification: affinity purified by Protein A

Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.


Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

Background: This gene encodes a membrane-bound glycoprotein. The encoded protein acts as an

enzyme and plays a central role in thyroid gland function. The protein functions in the iodination of tyrosine residues in thyroglobulin and phenoxy-ester formation between pairs of iodinated tyrosines to generate the thyroid hormones, thyroxine and triiodothyronine. Mutations in this gene are associated with several disorders of thyroid hormonegenesis, including congenital hypothyroidism, congenital goiter, and thyroid hormone organification defect IIA. Multiple transcript variants encoding distinct isoforms have been identified for this gene, but the full-length nature of some variants has not been determined. [provided by

RefSeq, May 2011].

VALIDATION IMAGES



Sample: TT(Human) Cell Lysate at 30 ug TT(Human) Cell Lysate at 30 ug Primary: Anti-Thyroid peroxidase (bs-23884R) at 1/1000 dilution Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution Predicted band size: 101 kD Observed band size: 121 kD

PRODUCT SPECIFIC PUBLICATIONS

[IF=6.388] Cai Zhang. et al. Transcriptomics and metabolomics reveal the role of CYP1A2 in psoralen/isopsoralen-induced metabolic activation and hepatotoxicity. PHYTOTHER RES. 2022 Sep;: WB; MOUSE . 36056681

[IF=4.872] Dong X et al. PM2.5 disrupts thyroid hormone homeostasis through activation of the hypothalamic-pituitary-thyroid (HPT) axis and induction of hepatic transthyretin in female rats 2.5Ecotoxicol Environ Saf.2021 Jan 15;208:111720. IHC,WB; Rat . 33396051

[IF=4.223] Dong, Xinwen. et al. Protective effects of curcumin against thyroid hormone imbalance after gas explosion-induced traumatic brain injury via activation of the hypothalamic-pituitary-thyroid axis in male rats. ENVIRON SCI POLLUT R. 2022 May;:1-13 WB,IHC; Rat. 35641736