

**bs-13767R**

**[ Primary Antibody ]**

## PABPC4L Rabbit pAb

**BioSS**  
ANTIBODIES

www.bioss.com.cn

sales@bioss.com.cn


techsupport@bioss.com.cn

400-901-9800

### — DATASHEET —

<b>Host:</b> Rabbit	<b>Isotype:</b> IgG	<b>Applications:</b> IHC-P (1:100-500) IHC-F (1:100-500) IF (1:100-500)  <b>Reactivity:</b> Rat (predicted: Human, Mouse, Pig, Sheep, Cow)  <b>Predicted MW.:</b> 42 kDa
<b>Clonality:</b> Polyclonal		
<b>GeneID:</b> 132430	<b>SWISS:</b> P0CB38	
<b>Target:</b> PABPC4L		
<b>Immunogen:</b> KLH conjugated synthetic peptide derived from human PABPC4L: 201-300/370.		
<b>Purification:</b> affinity purified by Protein A		
<b>Concentration:</b> 1mg/ml		
<b>Storage:</b> 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		
<b>Background:</b> May bind RNA. Belongs to the polyadenylate-binding protein type-1 family.		

### — VALIDATION IMAGES —



Paraformaldehyde-fixed, paraffin embedded (Rat testis); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37°C for 30min; Antibody incubation with (Poly(A) binding protein 4 like; PABPC4L) Polyclonal Antibody, Unconjugated (bs-13767R) at 1:400 overnight at 4°C, followed by a conjugated secondary (sp-0023) for 20 minutes and DAB staining.