
Phospho-ELk1 (Thr417) Rabbit pAb

Catalog Number: bs-5336R

Target Protein: Phospho-ELk1 (Thr417)

Concentration: 1mg/ml

Form: Liquid

Host: Rabbit

Clonality: Polyclonal

Isotype: IgG

Applications: WB (1:500-2000), IHC-P (1:100-500), IHC-F (1:100-500), IF (1:100-500), ELISA (1:5000-10000)

Reactivity: (predicted:Human, Mouse, Rat, Rabbit, Pig, Cow, Dog, GuineaPig)

Predicted MW: 47 kDa

Subcellular Cytoplasm ,Nucleus

Locations:

Entrez Gene: 1978

Swiss Prot: Q13541

Source: KLH conjugated Synthesised phosphopeptide derived from human ELk1 around the phosphorylation site of Thr417: LS(p-T)PV.

Purification: affinity purified by Protein A

Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.

Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

Background: This gene encodes one member of a family of translation repressor proteins. The protein directly interacts with eukaryotic translation initiation factor 4E (eIF4E), which is a limiting component of the multisubunit complex that recruits 40S ribosomal subunits to the 5' end of mRNAs. Interaction of this protein with eIF4E inhibits complex assembly and represses translation. This protein is phosphorylated in response to various signals including UV irradiation and insulin signaling, resulting in its dissociation from eIF4E and activation of mRNA translation. [provided by RefSeq, Jul 2008].

PRODUCT SPECIFIC PUBLICATIONS

[IF=7.9] Shuang Yang. et al. Kanglexin counters vascular smooth muscle cell dedifferentiation and associated arteriosclerosis through inhibiting PDGFR. PHYTOMEDICINE. 2024 May;;155704 WB ; Mouse,Rat . 38759316