

bsm-52646R**[Primary Antibody]****TNFRSF12A/CD266 Recombinant Rabbit mAb****BioSS**
ANTIBODIES

www.bioss.com.cn


sales@bioss.com.cn

techsupport@bioss.com.cn

400-901-9800

— DATASHEET —

Host: Rabbit	Isotype: IgG	Applications: WB (1:500-2000)
Clonality: Recombinant	CloneNo.: 2C14	Reactivity: Human, Mouse (predicted: Rat)
GeneID: 51330	SWISS: Q9NP84	Predicted MW.: 11 kDa
Target: TNFRSF12A/CD266		Subcellular Location: Cell membrane ,Cytoplasm
Immunogen: A synthesized peptide derived from human CD266: 81-129.		
Purification: affinity purified by Protein A		
Concentration: 1mg/ml		
Storage: 1*TBS (pH7.4), 0.05% BSA, 40% Glycerol. Preservative: 0.02% Proclin300. Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		
Background: TWEAK (otherwise known as TNFRSF12A, Tumor necrosis factor receptor superfamily member 12A), is a member of the TNF family and was first described as a weak inducer of apoptosis in some cell types. It is thought to promote angiogenesis and the proliferation of endothelial cells as well as modulating cellular adhesion to matrix proteins. Recently, a receptor for TWEAK was isolated by expression cloning from a HUVEC cell cDNA library. Function : Receptor for TNFSF12/TWEAK. Weak inducer of apoptosis in some cell types. Promotes angiogenesis and the proliferation of endothelial cells. May modulate cellular adhesion to matrix proteins.		

— VALIDATION IMAGES —

25 ug total protein per lane of various lysates
(see on figure) probed with TNFRSF12A/CD266
monoclonal antibody, unconjugated
(bsm-52646R) at 1:1000 dilution and 4°C
overnight incubation. Followed by conjugated
secondary antibody incubation at r.t. for 60 min.