

bs-15019R**[Primary Antibody]****C1orf135 Rabbit pAb**

www.bioss.com.cn

sales@bioss.com.cn

techsupport@bioss.com.cn

400-901-9800

— DATASHEET —

Host: Rabbit	Isotype: IgG	Applications: WB (1:500-2000)
Clonality: Polyclonal		IHC-P (1:100-500)
GeneID: 79000	SWISS: Q9H7T9	IHC-F (1:100-500)
Target: C1orf135		IF (1:100-500)
Immunogen: KLH conjugated synthetic peptide derived from human C1orf135: 231-330/357.		ICC/IF (1:100-500)
Purification: affinity purified by Protein A		ELISA (1:5000-10000)
Concentration: 1mg/ml		Reactivity: (predicted: Human, Mouse, Rat, Rabbit, Pig, Cow, Dog)
Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		Predicted MW.: 40 kDa
Background: Chromosome 1 is the largest human chromosome spanning about 260 million base pairs and making up 8% of the human genome. There are about 3,000 genes on chromosome 1, and considering the great number of genes there are also a large number of diseases associated with chromosome 1. Notably, the rare aging disease Hutchinson-Gilford progeria is associated with the LMNA gene which encodes lamin A. When defective, the LMNA gene product can build up in the nucleus and cause characteristic nuclear blebs. The mechanism of rapidly enhanced aging is unclear and is a topic of continuing exploration. The MUTYH gene is located on chromosome 1 and is partially responsible for familial adenomatous polyposis. Stickler syndrome, Parkinsons, Gaucher disease and Usher syndrome are also associated with chromosome 1. A breakpoint has been identified in 1q which disrupts the DISC1 gene and is linked to schizophrenia. Aberrations in chromosome 1 are found in a variety of cancers including head and neck cancer, malignant melanoma and multiple myeloma. The C1orf135 gene product has been provisionally designated C1orf135 pending further characterization.		Subcellular Location: Cytoplasm ,Nucleus

— SELECTED CITATIONS —

- **[IF=5.7]** Luo Dayuan. et al. Integrated bioinformatics analysis of nucleotide metabolism based molecular subtyping and biomarkers in lung adenocarcinoma. FRONT IMMUNOL. 2024 Aug;15: IHC, WB ;Human. 39148731
- **[IF=4.848]** Ma C et al. AUNIP Expression Is Correlated With Immune Infiltration and Is a Candidate Diagnostic and Prognostic Biomarker for Hepatocellular Carcinoma and Lung Adenocarcinoma Front Oncol. 2020 Dec 9;10:590006. IHC ;Human. 33363020