

**bs-4125R****[ Primary Antibody ]**

www.bioss.com.cn

sales@bioss.com.cn

techsupport@bioss.com.cn

400-901-9800

**Pancreatic Lipase Rabbit pAb****— DATASHEET —**

<b>Host:</b> Rabbit	<b>Isotype:</b> IgG	<b>Applications:</b> <b>WB</b> (1:500-2000) <b>IHC-P</b> (1:100-500) <b>IHC-F</b> (1:100-500) <b>IF</b> (1:100-500) <b>ELISA</b> (1:5000-10000)  <b>Reactivity:</b> (predicted: Human, Mouse, Rat)  <b>Predicted MW.:</b> 51 kDa  <b>Subcellular Location:</b> Secreted
<b>Clonality:</b> Polyclonal		
<b>GeneID:</b> 5406	<b>SWISS:</b> P16233	
<b>Target:</b> Pancreatic Lipase		
<b>Immunogen:</b> KLH conjugated synthetic peptide derived from human Pancreatic Lipase: 231-330/465.		
<b>Purification:</b> affinity purified by Protein A		
<b>Concentration:</b> 1mg/ml		
<b>Storage:</b> 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		
<b>Background:</b> Pancreatic lipase, is involved in the hydrolysis of dietary triglycerides to fatty acids in the intestine. This hydrolysis, which is initiated in the stomach by gastric lipase, is essential for the intestinal absorption of long-chain triglyceride fatty acids.		