## bs-4201R

# [ Primary Antibody ]

www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

# FIH1/HIF1AN Rabbit pAb

DATASHEET -

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**GenelD:** 55662 **SWISS:** Q5W147

Target: FIH1/HIF1AN

**Immunogen:** KLH conjugated synthetic peptide derived from human

FIH1/HIF1AN: 251-349/349.

**Purification:** affinity purified by Protein A

Concentration: 1mg/ml

**Storage:** 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50%

Glycerol.

Shipped at 4°C. Store at -20°C for one year. Avoid repeated

freeze/thaw cycles.

Background: HIF1AN (Hypoxia inducible factor 1 alpha inhibitor) is a corepressor

that interacts with hypoxia inducible factor 1 (HIF1) alpha and the von Hippel Lindau tumor suppressor protein to mediate repression

of HIF1 transcriptional activity.

Applications: IHC-P (1:100-500)

IHC-F (1:100-500) **IF** (1:100-500) **ELISA** (1:5000-10000)

Reactivity: (predicted: Human, Mouse,

Rat, Pig, Cow, Chicken, Dog)

Predicted MW.: <sup>38 kDa</sup>

Subcellular Nucleus Location:

### - SELECTED CITATIONS -

• [IF=2.557] Ali Tugrul Akin. et al. Chloroquine attenuates chronic hypoxia-induced testicular damage via suppressing endoplasmic reticulum stress and apoptosis in experimental rat model. CLIN EXP PHARMACOL P. 2022 May 17 IHC; Rat. 35579513