bs-4201R

[Primary Antibody]

FIH1/HIF1AN Rabbit pAb



www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

– DATASHEET –		400-901-9800
Host: Rabbit	Isotype: IgG	Applications: IHC-P (1:100-500) IHC-F (1:100-500)
Clonality: Polyclonal		IF (1:100-500)
GenelD: 55662	SWISS: Q5W147	ELISA (1:5000-10000)
Target: FIH1/HIF1AN		Reactivity: (predicted: Human, Mouse,
Immunogen: KLH conjugated synthetic peptide derived from human FIH1/HIF1AN: 251-349/349.		Rat, Pig, Cow, Chicken, Dog)
Purification: affinity purified by	Protein A	
Concentration: 1mg/ml		Predicted MW.: ^{38 kDa}
Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		Subcellular Location: ^{Nucleus}
that interacts with	ducible factor 1 alpha inhibitor) is a corep hypoxia inducible factor 1 (HIF1) alpha an cumor suppressor protein to mediate repr nal activity.	ld the

- SELECTED CITATIONS ------

• [IF=2.557] Ali Tugrul Akin. et al. Chloroquine attenuates chronic hypoxia-induced testicular damage via suppressing endoplasmic reticulum stress and apoptosis in experimental rat model. CLIN EXP PHARMACOL P. 2022 May 17 IHC ;Rat.

35579513