

bs-24701R**[Primary Antibody]****5-HTR3 Rabbit pAb**

BioSS
ANTIBODIES

www.bioss.com.cn


sales@bioss.com.cn

techsupport@bioss.com.cn

400-901-9800

— DATASHEET —

Host: Rabbit Clonality: Polyclonal GeneID: 3359 Target: 5-HTR3 Immunogen: KLH conjugated synthetic peptide derived from human 5-HTR3: 81-180/478. Purification: affinity purified by Protein A Concentration: 1mg/ml Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles. Background: The product of this gene belongs to the ligand-gated ion channel receptor superfamily. This gene encodes subunit A of the type 3 receptor for 5-hydroxytryptamine (serotonin), a biogenic hormone that functions as a neurotransmitter, a hormone, and a mitogen. This receptor causes fast, depolarizing responses in neurons after activation. It appears that the heteromeric combination of A and B subunits is necessary to provide the full functional features of this receptor, since either subunit alone results in receptors with very low conductance and response amplitude. Alternatively spliced transcript variants encoding different isoforms have been identified. Expressed in cerebral cortex, amygdala, hippocampus, and testis. Detected in monocytes of the spleen and tonsil, in small and large intestine, uterus, prostate, ovary and placenta. Belongs to the ligand-gated ionic channel (TC 1.A.9) family.	Isotype: IgG SWISS: P46098 Applications: WB (1:500-2000) Reactivity: Human, Mouse, Rat Predicted MW.: 53 kDa Subcellular Location: Cell membrane
---	---

— VALIDATION IMAGES —

Sample: Lane 1: Stomach (Mouse) Tissue Lysate at 40 ug
 Lane 2: Spinal cord (Rat) Tissue Lysate at 40 ug
 Lane 3: Stomach (Rat) Tissue Lysate at 40 ug
 Lane 4: Small intestine (Rat) Tissue Lysate at 40 ug
 Lane 5: BV2 (Mouse) Cell Lysate at 30 ug
 Lane 6: U251 (Human) Cell Lysate at 30 ug
 Lane 7: SH-SY5Y (Human) Cell Lysate at 30 ug
 Primary: Anti-5-HTR3 (bs-24701R) at 1/1000 dilution
 Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution
 Predicted band size: 53 kD
 Observed band size: 50 kD