bsm-33005M

[Primary Antibody]

www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

ELISA (1:1000-5000)

Applications: WB (1:500-5000)

Reactivity: Species independent

V5 tag Mouse mAb

- DATASHEET -

Host: Mouse Isotype: IgG Clonality: Monoclonal CloneNo.: 5D7

Target: V5 tag

Purification: affinity purified by Protein G

Concentration: 1mg/ml

Storage: Size: 100ul/500ul

0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50%

Glycerol.

Size: 200ug (PBS only)

0.01M PBS

Shipped at 4°C. Store at -20°C for one year. Avoid repeated

freeze/thaw cycles.

Background: The V5 epitope tag is derived from a small epitope (Pk) present on


the P and V proteins of the paramyxovirus of simian virus 5 (SV5).

The V5 tag is usually used with all 14 amino acids

(GKPIPNPLLGLDST), although it has also been used with a shorter 9

amino acid sequence (IPNPLLGLD).

VALIDATION IMAGES



8ug Tags Positive Control Whole Cell Lysate, His (bs-41230P) per lane probed with V5 tag monoclonal antibody respectively, unconjugated (bsm-33005M) at 1:1000 dilution and 4°C overnight incubation. Followed by corresponding conjugated secondary antibody incubation at r.t. for 60 min.