## bs-41611R

## [ Primary Antibody ]

## BIOSS ANTIBODIES

sFlt1 Rabbit pAb

www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

- DATASHEET -

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**GenelD:** 2321 **SWISS:** P17948

Target: sFlt1

Immunogen: Recombinant human sFlt1 protein: 27-687/687.

Purification: affinity purified by Protein A

Concentration: 1mg/ml

**Storage:** 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50%

Glycerol.

Shipped at 4°C. Store at -20°C for one year. Avoid repeated

freeze/thaw cycles.

**Background:** VEGF Receptor 1 (also known as FLT) belongs to the src gene family

and shows tyrosine protein kinase activity that is important for the control of cell proliferation and differentiation. The protein acts as a receptor for VEGF, VEGFB and PGF. An alternatively spliced form of the gene produces a soluble protein (sFlt1) which binds vascular endothelial growth factor (VEGF) with high affinity. sFlt1 has a higher affinity for VEGF indicating that it may function as an inhibitor in the VEGF response. VEGF Receptor 1 is specifically expressed in most vascular endothelial cells and peripheral blood

monocytes.

Applications: WB (1:500-2000)

IHC-P (1:100-500) IHC-F (1:400-800) IF (1:100-500)


Reactivity: Human

Predicted MW.: 77 kDa


Subcellular Secreted ,Cell membrane

**Location:** ,Cytoplasm

## VALIDATION IMAGES -



Sample: Lane 1: Recombinant human VEGFR1 protein, C-His (HEK293)( bs-41611P) Primary: Anti-VEGFR1 (bs-41611R) at 1/1000 dilution Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution Predicted band size: 147 kDa Observed band size: 140 kDa



Paraformaldehyde-fixed, paraffin embedded (human liver carcinoma); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37°C for 30min; Antibody incubation with (VEGFR1) Polyclonal Antibody, Unconjugated (bs-41611R) at 1:200 overnight at 4°C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructions and DAB staining.