
## [ Primary Antibody ]

## phospho-PAK3 (Ser154) Rabbit pAb



www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

– DATASHEET –––––		400-901-9800
Host: Rabbit Clonality: Polyclonal	<b>Isotype:</b> IgG	Applications: WB (1:500-2000) IHC-P (1:100-500)
GenelD: 5063	SWISS: 075914	IHC-F (1:100-500) IF (1:100-500) ICC/IF (1:50)
Target: PAK3 (Ser154) Immunogen: KLH conjugated Synthesised phosphopeptide derived from human PAK3 around the phosphorylation site of Ser154: YM(p-S)FT.		,
Purification: affinity purified by Protein A Concentration: 1mg/ml Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. Shipped at 4°C. Store at -20°C for one year. Avoid repeated		Predicted MW.: <sup>62 kDa</sup> Subcellular
freeze/thaw cycles. <b>Background:</b> The protein encoded by this gene is a serine-threonine kinase and forms an activated complex with GTP-bound RAS-like (P21), CDC2 and RAC1. This protein may be necessary for dendritic		Subcellular Location: <sup>Cytoplasm</sup> ,Nucleus
dendritic spines ass gene are the cause o disability. Alternativ	or the rapid cytoskeletal reorganization in ociated with synaptic plasticity. Defects in this of a non-syndromic form of X-linked intellectual yely spliced transcript variants encoding ave been identified. [provided by RefSeq, Jul	
- VALIDATION IMAGES		



Sample: Lane 1: Mouse Testis tissue lysates Lane 2: Mouse Stomach tissue lysates Primary: Antiphospho-PAK1 (Ser144) + PAK3 (Ser154) (bs-7481R) at 1/1000 dilution Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution Predicted band size: 60 kDa Observed band size: 60 kDa