

bsm-33006M

[Primary Antibody]

VSV-G tag Mouse mAb

BioSS
ANTIBODIES

www.bioss.com.cn

sales@bioss.com.cn


techsupport@bioss.com.cn

400-901-9800

— DATASHEET —

Host: Mouse	Isotype: IgG	Applications: WB (1:1000-5000) ELISA (1:1000-5000) Reactivity: Species independent
Clonality: Monoclonal	CloneNo.: 10E5	
Target: VSV-G tag		
Purification: affinity purified by Protein G		
Concentration: 1mg/ml		
Storage: Size : 50ul/100ul/200ul 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. Size : 200ug (PBS only) 0.01M PBS Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		
Background: Vesicular stomatitis virus (VSV), an enveloped RNA virus from the Rhabdoviridae family, is released from the plasma membrane of host cells by a process called budding. The glycoprotein (VSV-g) contains a domain in its extracellular membrane proximal stem that appears to be needed for efficient VSV budding.		

— VALIDATION IMAGES —



Sample: Lane1: VSV-G-Tagged Fusion Protein
Overexpression E.coli Lysate (Cat#: bs-41230P)
at 2ug Lane2: VSV-G-Tagged Fusion Protein
Overexpression E.coli Lysate (Cat#: bs-41230P)
at 2ug Primary: Anti-VSV-G tag (bsm-33006M) at
1/1000 dilution Secondary: IRDye800CW Goat
Anti-Mouse IgG at 1/20000 dilution Predicted
band size: 41 kD Observed band size: 45 kD