

bs-10023R**[Primary Antibody]****STAT4 Rabbit pAb****BioSS**
ANTIBODIES

www.bioss.com.cn

sales@bioss.com.cn

techsupport@bioss.com.cn

400-901-9800

— DATASHEET —

Host: Rabbit	Isotype: IgG	Applications: WB (1:500-2000) ICC/IF (1:100-500) ELISA (1:5000-10000)
Clonality: Polyclonal		
GeneID: 6775	SWISS: Q14765	
Target: STAT4		Reactivity: (predicted: Human, Mouse, Rat, Rabbit, Pig, Cow, Dog)
Immunogen: KLH conjugated synthetic peptide derived from human STAT4: 111-210/748.		
Purification: affinity purified by Protein A		Predicted MW.: 85 kDa
Concentration: 1mg/ml		Subcellular Location: Cytoplasm ,Nucleus
Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		
Background: The protein encoded by this gene is a member of the STAT family of transcription factors. In response to cytokines and growth factors, STAT family members are phosphorylated by the receptor associated kinases, and then form homo- or heterodimers that translocate to the cell nucleus where they act as transcription activators. This protein is essential for mediating responses to IL12 in lymphocytes, and regulating the differentiation of T helper cells. Mutations in this gene may be associated with systemic lupus erythematosus and rheumatoid arthritis. Alternate splicing results in multiple transcript variants that encode the same protein. [provided by RefSeq, Aug 2011].		

— SELECTED CITATIONS —

- **[IF=7.9]** Tiantian Wang. et al. Baicalein alleviates cardiomyocyte death in EAM mice by inhibiting the JAK-STAT1/4 signalling pathway. PHYTOMEDICINE. 2024 Jun;128:155558 WB,IF ;Mouse. 38547614
- **[IF=5.714]** Chenglin Li. et al. Ranitidine as an adjuvant regulates macrophage polarization and activates CTLs through the PI3K-Akt2 signaling pathway. INT IMMUNOPHARMACOL. 2023 Mar;116:109729 WB ;Mouse. 10.1016/j.intimp.2023.109729
- **[IF=5.7]** Xixi Wang. et al. Probing Selenium-Deficient Chicken Spleen Th1/Th17 Differentiation Based on Selenoprotein W Targeting of PKM2/HIF1α. J AGR FOOD CHEM. 2024;XXXX(XXX):XXX-XXX WB ;Chicken. 39441563
- **[IF=3.943]** Le Tian. et al. Luteolin as an adjuvant effectively enhances CTL anti-tumor response in B16F10 mouse model. Int Immunopharmacol. 2021 May;94:107441 WB ;Mouse. 33611060
- **[IF=3.487]** Ran Lu. et al. Chrysin Enhances Anti-tumor Immunity Response through IL-12-STAT4 Signal Pathway in B16F10 Melanoma Mouse Model. SCAND J IMMUNOL. 2022 Apr 28 WB ;Mouse. 35484925