bsm-41615M

[Primary Antibody]

SARS-CoV-2 (2019-nCoV) Spike S1 Mouse mAb



www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

- DATASHEET		400-901-9800
Host: Mouse	Isotype: IgG1	Applications: WB (1:500-2000)
Clonality: Monoclonal	CloneNo.: 5E12	Reactivity: Mouse, SARS-CoV-2
Target: SARS-CoV-2 (2019-nCoV) Spike S1		
Immunogen: Recombinant SARS-CoV-2 Spike S1 Protein: 14-685/1213.		
Purification: affinity purified by Protein A		Predicted MW.: 140 kDa
Concentration: Lot Dependent		
Storage: Size : 100ug 0.01M PBS (pH7.4). Size : 200ug (PBS only) 0.01M PBS Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		
Background: The SARS-CoV-2 spike (S) protein is the target of vaccine design efforts to end the COVID-19 pandemic. Despite a low mutation rate, isolates with the D614G substitution in the S protein appeared early during the pandemic, and are now the dominant form worldwide. Here, we analyze the D614G mutation in the context of a soluble S ectodomain construct.		

- VALIDATION IMAGES -



Sample: Lane 1: SARS-CoV-2 S1 Protein (His-Avi,HEK293) at 500ng Primary: Mouse Anti-SARS-CoV-2 Spike S1 Protein Antibody at 1/1000 dilution Secondary: IRDye800CW Goat Anti-Mouse IgG at 1/20000 dilution Predicted band size: 78kD Observed band size: kD

Sample: Lane 1: SARS-CoV-2 S1 Protein (E484Q,L452R,D614G,P681R) at 500ng Lane 2: SARS-CoV-2 S1 Protein (D80A,D215G,del241/243,K417N,E484K,N501Y,D6 14G) at 1.5ng Lane 3: SARS-CoV-2 S1 Protein (L18F,T20N,P26S,D138Y,R190S,K417T,E484K,N50 1Y,D614G,H655Y) at 500ng Lane 4: SARS-CoV-2 S1 Protein(His-Avi,HEK293) at 500ng Primary: Mouse Anti-SARS-CoV-2 Spike S1 Protein Antibody at 1/1000 dilution Secondary: IRDye800CW Goat Anti-Mouse IgG at 1/20000 dilution Predicted band size: 78kD Observed band size: kD

KDa M 1 140 - 🕳 📾

15 -10 -