bs-0295M-AP

[Secondary Antibodies]

Mouse Anti-Rabbit IgG H&L, AP conjugated



www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

| - DATASHEET | | 400-901-9800 |
|--|--|--|
| Host: Mouse Clonality: Polyclonal | Isotype: IgG | Applications: WB (1:1000-10000) IHC-P (1:100-500) IHC-F (1:100-1000) |
| Target: Mouse Anti-Rabbit IgG H&L | | ELISA (1:1000-10000) |
| Purification: affinity purified by Protein G | | Reactivity: Rabbit |
| Concentration: 1.0 mg/ml | | |
| glycerol. | with 1% BSA, 0.03% Proclin300 and 50% e year. Avoid repeated freeze/thaw cycles | |
| serum with normal le is important for our of molecules are produ adaptive immune res functions; to bind to recruit other cells an variability of the IgG | gG), is one of the most abundant proteins wels between 8-17 mg/mL in adult blood lefence against microorganisms and the ced by B lymphocytes as a part of our sponse. The IgG molecule has two separa the pathogen that elicited the response a d molecules to destroy the antigen. The pool is generated by somatic recombinat becificities in an individual at a given time be 1011 variants. | . IgG te ind to |