

bs-7844R

[Primary Antibody]

NIN Rabbit pAb



www.bioss.com.cn

sales@bioss.com.cn

techsupport@bioss.com.cn

400-901-9800

— DATASHEET —

Host: Rabbit	Isotype: IgG	Applications: WB (1:500-2000) IHC-P (1:100-500) IHC-F (1:100-500) IF (1:100-500) ELISA (1:5000-10000) Reactivity: (predicted: Human, Mouse, Rat, Rabbit, Pig, Cow, Dog, Horse) Predicted MW.: 243 kDa Subcellular Location: Cytoplasm
Clonality: Polyclonal		
GeneID: 51199	SWISS: Q8N4C6	
Target: NIN		
Immunogen: KLH conjugated synthetic peptide derived from human Ninein: 133-230/2090.		
Purification: affinity purified by Protein A		
Concentration: 1mg/ml		
Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		
Background: This gene encodes one of the proteins important for centrosomal function. This protein is important for positioning and anchoring the microtubules minus-ends in epithelial cells. Localization of this protein to the centrosome requires three leucine zippers in the central coiled-coil domain. Multiple alternatively spliced transcript variants that encode different isoforms have been reported. [provided by RefSeq, Jul 2008]		

— SELECTED CITATIONS —

- **[IF=2.1]** Nozawa - Inoue, Kayoko, et al. "Contribution of synovial lining cells to synovial vascularization of the rat temporomandibular joint." Journal of Anatomy (2016). IHC ;="Rat". 26642772