## [ Primary Antibody ]

## phospho-NUDC (Ser326) Rabbit pAb



www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

– DATASHEET –––––		400-901-9800
Host: Rabbit	Isotype: IgG	<b>Applications: IHC-P</b> (1:100-500)
Clonality: Polyclonal		IHC-F (1:100-500) IF (1:100-500)
GenelD: 10726	<b>SWISS:</b> Q9Y266	<b>ELISA</b> (1:5000-10000)
Target: phospho-NUDC (Ser326)		<b>Reactivity:</b> (predicted: Human, Mouse,
<b>Immunogen:</b> KLH conjugated synthesised phosphopeptide derived from human NUDC around the phosphorylation site of Ser326: DF(p-S)KA.		om human Rat, Pig, Cow, Chicken, Dog,
Purification: affinity purified by F	Protein A	
Concentration: 1mg/ml		Predicted MW.: <sup>38 kDa</sup>
<b>Storage:</b> 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		Subcellular Cytoplasm Nucleus
essential role in mit involved in spindle organization during	a nuclear distribution protein that pla osis and cytokinesis. The encoded pr formation during mitosis and in micro cytokinesis. Pseudogenes of this ger me 2. [provided by RefSeq, Feb 2012]	otein is otubule ne are