

www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

Bcl-2 Antibody Blocking Peptide

Catalog Number:	bs-0032P
Activity:	Not tested
Purification:	HPLC
Storage:	Shipped at 4°C. Stored at -20°C for one year. Avoid repeated freeze/thaw cycles.
Background:	The Bcl-2 gene was isolated at the chromosomal breakpoint of t(14;18)-bearing follicular B $$
	cell lymphomas(1,2).Bcl-2 blocks cell death following a variety of stimuli and confers a
	death-sparing effect to certain hematopoietic cell lines following growth factor withdrawal
	(3,5).Bcl-2 appears to function in several subcellular locations yet lacks any known motifs
	that would confer insight into its mechanism of action (6,7).A more recently identified
	protein,designated Bax p21(i.e., Bcl-associated X protein),has extensive amino acid
	homology with Bcl-2 and both homodimerizes and forms heterodimers with Bcl-2(8).
	Overexpression of Bax accelerates apoptotic death induced by cytokine deprivation in an
	IL-3 dependent cell line and Bax also counters the death repressor activty of Bcl-2(8).

PRODUCT SPECIFIC PUBLICATIONS

[IF=0.754] Su XY et al. Chemoprotective Effects of Resveratrol Against Diethylnitrosamine Induced Hepatocellular Carcinoma in Wistar Rats. Int. J. Pharmacol.,2019 15 (5): 549-559. Other ; . DOI:10.3923/ijp.2019.549.559