[Primary Antibody]

phospho-FABP4 (Tyr20) Rabbit pAb



www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

– DATASHEET –––––		400-901-9800
Host: Rabbit	Isotype: IgG	Applications: ELISA (1:5000-10000)
Clonality: Polyclonal		Reactivity: (predicted: Human, Mouse,
GenelD: 2167	SWISS: P15090	Rat, Rabbit, Pig, Sheep,
Target: FABP4 (Tyr20)		Cow, Dog)
Immunogen: KLH conjugated synthesised phosphopeptide derived from human FABP4 around the phosphorylation site of Tyr20: DD(p-Y)MK.		
Purification: affinity purified by Protein A		Cubesllular
Concentration: 1mg/ml		Subcellular Location: Cytoplasm ,Nucleus
Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		
Fatty acid binding p cytoplasmic protein hydrophobic ligand	fatty acid binding protein found in adip roteins are a family of small, highly con Is that bind long-chain fatty acids and o s. It is thought that FABPs roles include ort, and metabolism. [provided by RefSo	served, ther fatty