

bs-9463R**[Primary Antibody]****SYNC Rabbit pAb**

www.bioss.com.cn

sales@bioss.com.cn

techsupport@bioss.com.cn

400-901-9800

— DATASHEET —**Host:** Rabbit**Isotype:** IgG**Clonality:** Polyclonal**GeneID:** 81493**SWISS:** Q9H7C4**Target:** SYNC**Immunogen:** KLH conjugated synthetic peptide derived from human SYNC/Syncoilin: 211-310/482.**Purification:** affinity purified by Protein A**Concentration:** 1mg/ml**Storage:** 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.

Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

Background: Syncoilin (SYNC) is a 483 amino acid member of the intermediate filament family. Localized to the perinuclear region of cytoplasm, Syncoilin interacts with Alpha-Dystrobrevin and Desmin. Syncoilin links the dystrophin associated protein complex (DAPC) to desmin filaments in muscle, and is therefore found at high levels in cardiac and skeletal muscle. Syncoilin is upregulated at the sarcolemma in individuals with various forms of neuromuscular disease. The gene that encodes Syncoilin maps to human chromosome 1, which is the largest human chromosome spanning about 260 million base pairs and making up 8% of the human genome. There are about 3,000 genes on chromosome 1, and considering the great number of genes there are also a large number of diseases associated with chromosome 1.

Applications: WB (1:500-2000)**IHC-P** (1:100-500)**IHC-F** (1:100-500)**IF** (1:50-200)**ICC/IF** (1:100-500)**ELISA** (1:5000-10000)**Reactivity:** (predicted: Human, Mouse, Rat, Pig, Cow, Chicken, Dog)**Predicted MW.:** 55 kDa**Subcellular Location:** Cytoplasm