bs-18004R

[Primary Antibody]

OR8H3 Rabbit pAb



techsupport@bioss.com.cn

- DATASHEET		400-901-9800
Host: Rabbit	Isotype: IgG	Applications: ELISA (1:5000-10000)
Clonality: Polyclonal		Reactivity: (predicted: Human)
GenelD: 390152	SWISS: Q8N146	······································
Target: OR8H3		
Immunogen: KLH conjugated synthetic peptide derived from human OR8H3: 131-230/312. < Extracellular >		H3: Predicted MW.: ^{35 kDa}
Purification: affinity purified by Protein A		Subcollular
Concentration: 1mg/ml		Subcellular Location: Cell membrane
Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		
Background: Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008]		a smell. ly of G- g-exon n ors and e family the