bs-20055R

[Primary Antibody]

BIOSS

www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn

CysLT2 Rabbit pAb

- DATASHEET -

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

GenelD: 57105 **SWISS:** Q9NS75

Target: CysLT2

Immunogen: KLH conjugated synthetic peptide derived from human CysLT2:

2-100/346.

Purification: affinity purified by Protein A

Concentration: 1mg/ml

Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50%

Glycerol.

Shipped at 4°C. Store at -20°C for one year. Avoid repeated

freeze/thaw cycles.

Background: The cysteinyl leukotrienes LTC4, LTD4, and LTE4 are important

mediators of human bronchial asthma. Pharmacologic studies have determined that cysteinyl leukotrienes activate at least 2 receptors, the protein encoded by this gene and CYSLTR1. This encoded receptor is a member of the superfamily of G protein-coupled receptors. It seems to play a major role in endocrine and

cardiovascular systems. [provided by RefSeq, Jul 2008]

Applications: IHC-P (1:100-500)

400-901-9800

IHC-F (1:100-500) IF (1:100-500) ICC/IF (1:100-500) ELISA (1:5000-10000)

Reactivity: (predicted: Human)

Predicted MW.: 40 kDa

Subcellular Location: Cell membrane