

Recombinant Cyn. monkey ACE2 protein, C-His-Avi (HEK293), Biotin conjugated

Catalog Number: bs-47021P-Bio

Concentration: >0.5 mg/ml

AA Seq: 18-739/805

Predicted MW: 86.5

Detected MW: Due to glycosylation, the protein migrates to 87-110 kDa based on Tris-Bis PAGE result.

Tags: C-His-Avi

Activity: Not tested

Endotoxin: <1.0 EU/μg as determined by LAL

Purity: >95% as determined by Tris-Bis PAGE; >95% as determined by SEC-HPLC


Purification: AC

Storage: Lyophilized from 0.22um filtered solution in PBS (pH7.4) with 5mM DTT. Normally 5% trehalose is added as protectant before Lyophilization.


Stored at -70°C or -20°C. Avoid repeated freeze/thaw cycles.

Background: The protein encoded by this gene belongs to the angiotensin-converting enzyme family of dipeptidyl carboxydipeptidases and has considerable homology to human angiotensin 1 converting enzyme. This secreted protein catalyzes the cleavage of angiotensin I into angiotensin 1-9, and angiotensin II into the vasodilator angiotensin 1-7. The organ- and cell-specific expression of this gene suggests that it may play a role in the regulation of cardiovascular and renal function, as well as fertility. In addition, the encoded protein is a functional receptor for the spike glycoprotein of the human coronaviruses SARS and HCoV-NL63. [provided by RefSeq, Jul 2008]


VALIDATION IMAGES




Cynomolgus ACE2 on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.



The purity of Cynomolgus ACE2 is greater than 95% as determined by SEC-HPLC.



Recombinant Cynomolgus ACE2 on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.



The purity of Cynomolgus ACE2 is greater than 95% as determined by SEC-HPLC