www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

Recombinant human CD30 protein, C-His-Avi (HEK293)

Catalog Number: bs-47057P Concentration: >0.5 mg/ml

AA Seq: 19-379/595

Predicted MW: 41.3

Detected MW: Due to glycosylation, the protein migrates to 70-100 kDa based on Tris-Bis PAGE result.

Tags: C-His-Avi

Activity: Not tested

Endotoxin: <1.0 EU/µg as determined by LAL

Purity: >95% as determined by Tris-Bis PAGE; >95% as determined by SEC-HPLC

Purification: AC

Form: Lyophilized

Storage: Lyophilized from 0.22um filtered solution in PBS (pH7.4) with 5mM DTT. Normally 5%


trehalose is added as protectant before Lyophilization. Stored at -70°C or -20°C. Avoid repeated freeze/thaw cycles.

Background: The protein encoded by this gene is a member of the TNF-receptor superfamily. This


receptor is expressed by activated, but not by resting, T and B cells. TRAF2 and TRAF5 can interact with this receptor, and mediate the signal transduction that leads to the activation of NF-kappaB. This receptor is a positive regulator of apoptosis, and also has been shown to limit the proliferative potential of autoreactive CD8 effector T cells and protect the body against autoimmunity. Two alternatively spliced transcript variants of this gene encoding

distinct isoforms have been reported. [provided by RefSeq, Jul 2008]


VALIDATION IMAGES



Recombinant Human CD30 Protein on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.



The purity of Recombinant Human CD30 Protein is greater than 95% as determined by SEC-HPLC.



 $Immobilized \ Human\ CD30, His\ Tag\ at \\ 0.2ug/ml(100ul/Well). \ Dose\ response\ curve\ for \\ Anti-CD30\ Ab.\ with\ the\ EC50\ of\ 9.7ng/ml \\ determined\ by\ ELISA.$