

Recombinant human TNFRSF4 protein, C-His-Avi (HEK293)

Catalog Number: bs-47171P

Concentration: >0.5 mg/ml

AA Seq: 29-216/277

Detected MW: Due to glycosylation, the protein migrates to 48-55 kDa based on Tris-Bis PAGE result.

Tags: C-His-Avi

Activity: Not tested

Endotoxin: <1.0 EU/μg as determined by LAL

Purity: >95% as determined by Tris-Bis PAGE; >95% as determined by SEC-HPLC

Purification: AC


Form: Lyophilized

Storage: Lyophilized from 0.22um filtered solution in PBS (pH7.4) with 5mM DTT. Normally 5% trehalose is added as protectant before Lyophilization.


Stored at -70°C or -20°C. Avoid repeated freeze/thaw cycles.

Background: The protein encoded by this gene is a member of the TNF-receptor superfamily. This receptor has been shown to activate NF-kappaB through its interaction with adaptor proteins TRAF2 and TRAF5. Knockout studies in mice suggested that this receptor promotes the expression of apoptosis inhibitors BCL2 and BCL2L1/BCL2-XL, and thus suppresses apoptosis. The knockout studies also suggested the roles of this receptor in CD4+ T cell response, as well as in T cell-dependent B cell proliferation and differentiation. [provided by RefSeq, Jul 2008].

VALIDATION IMAGES



Recombinant Human OX40/TNFRSF4 Protein on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.



The purity of Recombinant Human OX40/TNFRSF4 Protein is greater than 95% as determined by SEC HPLC.