bs-23775R

- DATASHEET -

Host: Rabbit

[Primary Antibody]

Angiotensin II Type 1 Receptor Rabbit pAb



www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

Applications: WB (1:500-2000)

Leactivity: Mouse, Rat (predicted: Human, Rabbit, Pig, Dog)

Predicted MW.: ^{39 kDa}


Subcellular Location: Cell membrane

Clonality: Polyclonal			Reactivit
GenelD:	185	SWISS: P30556	
Target:	Angiotensin II Type 1 Receptor		
Immunogen: KLH conjugated synthetic peptide derived from human AT2R: 181-280/359. < Cytoplasmic >		Predicte	
Purification: affinity purified by Protein A			Cubasllul
Concentration: 1mg/ml			Subcellul Locatio
Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.			
Background:	regulator of aldosterone secre controlling blood pressure and system. It acts through at least encodes the type 1 receptor w		

Isotype: IgG

cardiovascular effects of angiotensin II. This gene may play a role in the generation of reperfusion arrhythmias following restoration of blood flow to ischemic or infarcted myocardium. It was previously thought that a related gene, denoted as AGTR1B, existed; however, it is now believed that there is only one type 1 receptor gene in humans. At least five transcript variants have been described for this gene. Additional variants have been described but their fulllength nature has not been determined. The entire coding sequence is contained in the terminal exon and is present in all transcript variants. [provided by RefSeq].

- VALIDATION IMAGES



Sample: Lane 1: Mouse Heart tissue lysates Lane 2: Mouse Cerebrum tissue lysates Lane 3: Rat Cerebrum tissue lysates Primary: Anti-Angiotensin II Type 1 Receptor (bs-23775R) at 1/1000 dilution Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution Predicted band size: 39 kDa Observed band size: 50 kDa

Important Note: This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.