bs-6517R

[Primary Antibody]


CACNB1 Rabbit pAb



www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

– DATASHEET ––––––		400-901-9800
Host: Rabbit	lsotype: IgG	Applications: IHC-P (1:100-500)
Clonality: Polyclonal		IHC-F (1:100-500) IF (1:100-500)
GenelD: 782	SWISS: Q02641	
Target: CACNB1		Reactivity: Rat (predicted: Human, Mouse, Rabbit, Pig, Cow,
Immunogen: KLH conjugated synthetic peptide derived from human CACNB1: 301-400/598.		IB1: Chicken, Dog, Horse)
Purification: affinity purified by Protein A		Predicted MW.: ^{66 kDa}
Concentration: 1mg/ml		MW.: *****
Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		Subcellular Cell membrane ,Cytoplasm Location:
Background: The protein encoded by CACNB1 belongs to the calcium channel beta subunit family. It plays an important role in the calcium channel by modulating G protein inhibition, increasing peak calcium current, controlling the alpha-1 subunit membrane targeting and shifting the voltage dependence of activation and inactivation.		

- VALIDATION IMAGES -



Tissue/cell: rat brain tissue; 4% Paraformaldehyde-fixed and paraffinembedded; Antigen retrieval: citrate buffer (0.01M, pH 6.0), Boiling bathing for 15min; Block endogenous peroxidase by 3% Hydrogen peroxide for 30min; Blocking buffer (normal goat serum,C-0005) at 37°C for 20 min; Incubation: Anti-CACNB1 Polyclonal Antibody, Unconjugated(bs-6517R) 1:200, overnight at 4°C, followed by conjugation to the secondary antibody(SP-0023) and DAB(C-0010) staining