bs-12221R

[Primary Antibody]

ZNF598 Rabbit pAb



www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

– DATASHEET –––––		400-901-9800
Host: Rabbit	Isotype: IgG	Applications: IHC-P (1:100-500)
Clonality: Polyclonal		IHC-F (1:100-500) IF (1:100-500)
GenelD: 90850	SWISS: Q86UK7	ICC/IF (1:100-500)
Target: ZNF598		ELISA (1:5000-10000)
Immunogen: KLH conjugated synthetic peptide derived from human ZNF598: 781-904/904.		8: Reactivity: (predicted: Human, Mouse, Rat, Pig, Dog, Horse)
Purification: affinity purified by	/ Protein A	
Concentration: 1mg/ml		Predicted
Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50%		MW.: ^{99 kDa}
Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		Subcellular Location: Nucleus
Background: Zinc-finger proteins bind nucleic acids and play important roles in various cellular functions, including cell proliferation, differentiation, and apoptosis. This protein and Grb10-interacting GYF protein 2 have been identified as a components of the mammalian 4EHP (m4EHP) complex. The complex is thought to function as a translation repressor in embryonic development. [provided by RefSeq, Oct 2012].		ing o

• [IF=7.507] B. Huang. et al. Activation of Nrf2 signaling by 4-octyl itaconate attenuates the cartilaginous endplate

degeneration by inhibiting E3 ubiquitin ligase ZNF598. OSTEOARTHR CARTILAGE. 2022 Oct;: WB ;Rat. 36270478