

www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

## Mouse IL-33 ELISA Kit

· · · · · · · · · · · · ·	
产品编号:	bsk12009
种属:	Mouse
线性范围:	31.25-2000 pg/mL
应用范围:	S/P/CC
检测限:	16 pg/mL
适用样品基质:	cell culture supernates, serum, and plasma.
保存条件:	Store at 4°C for 6 months, at -20°C for 12 months. Avoid multiple freeze-thaw cycles
	(Shipped with wet ice.).
产品介绍:	IL33 is a cytokine which belongs to the IL-1 superfamily, and it induces helper T cells to
	produce type 2 cytokines. This cytokine was previously named NF-HEV 'nuclear factor (NF)
	in high endothelial venules' (HEVs), as it was originally identified in these specialized cells.
	IL33 mediates its biological effects by interacting with the receptors ST2 and IL-1 Receptor
	Accessory Protein, activating intracellular molecules in the NF-kappaB and MAP kinase
	signaling pathways that drive production of type 2 cytokines (e.g. IL-4, IL-5 and IL-13) from
	polarized Th2 cells. The induction of type 2 cytokines by IL-33 in vivo is believed to induce
	the the severe pathological changes observed in mucosal organs following administration of
	IL33.

## PRODUCT SPECIFIC PUBLICATIONS

**[IF=6.208]** Xuena Yang. et al. A CpG-Oligodeoxynucleotide Suppresses Th2/Th17 Inflammation by Inhibiting IL-33/ST2 Signaling in Mice from a Model of Adoptive Dendritic Cell Transfer of Smoke-Induced Asthma. INT J MOL SCI. 2023 Jan;24(4):3130 ELISA ; Mouse,Human . 36834541

**[IF=5.1]** Liu Jing. et al. Interplay of IL-33 and IL-35 Modulates Th2/Th17 Responses in Cigarette Smoke Exposure HDM-Induced Asthma. INFLAMMATION. 2023 Sep;:1-18 ELISA ; Mouse . 37737467