bs-20062R

[Primary Antibody]

TNXB Rabbit pAb



www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

– DATASHEET –		400-901-9800	
Host: Rabbit	Isotype: IgG	Applications: IHC-P (1:100-500) IHC-F (1:100-500)	
Clonality: Polyclonal		IF (1:100-500)	
GeneID: 7148	SWISS: P22105	ICC/IF (1:100-500)	
Target: TNXB		ELISA (1:5000-10000)	
Immunogen: KLH conjugated synthetic peptide derived from human TNXB: 51-150/4289.		Reactivity: (predicted: Human, Mouse Rat, Pig, Sheep, Cow)	
Purification: affinity purified by	Protein A		
Concentration: 1mg/ml		Prodicted	
Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50%		Predicted MW.: 462 kDa	
Glycerol. Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		Subcellular Location: ^{Secreted} , Cytoplasm	
matrix glycoprotei opposed to fibron to function in mat deficiency has bee Ehlers-Danlos sync histocompatibility 6. It is one of four g The duplicated co pseudogene which The structure of th and CYP21A2 gene transcript variants	a member of the tenascin family of extracellular ns. The tenascins have anti-adhesive effects, as ectin which is adhesive. This protein is thought rix maturation during wound healing, and its n associated with the connective tissue disorder drome. This gene localizes to the major complex (MHC) class III region on chromosome genes in this cluster which have been duplicated. py of this gene is incomplete and is a n is transcribed but does not encode a protein. is gene is unusual in that it overlaps the CREBL1 is at its 5' and 3' ends, respectively. Multiple encoding different isoforms have been found for rd by RefSeq, Jul 2008]		