bsm-63109R

[Primary Antibody]

Mono-Methyl-Histone H3(R18) Recombinant Rabbit mAb



www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

- DATASHEET -

Host: Rabbit Isotype: IgG
Clonality: Recombinant CloneNo.: 3D3
GeneID: 8350 SWISS: P68431

Target: Mono-Methyl-Histone H3(R18)

Immunogen: A synthesized peptide derived from human Histone H3.1 around the

methylation site of R18: AP-(Me)R-KQ.

Purification: affinity purified by Protein A

 $\textbf{Storage:}\ 10\text{mM}\ phosphate\ buffered\ saline(pH\ 7.4)\ with\ 150\text{mM}\ sodium$

chloride, 0.05% BSA, 0.02% Proclin300 and 50% glycerol. Store at 4°C for short term. Store at -20°C for long term. Avoid

repeated freeze/thaw cycles.

Background: Core component of nucleosome. Nucleosomes wrap and compact

DNA into chromatin, limiting DNA accessibility to the cellular machineries which require DNA as a template. Histones thereby play a central role in transcription regulation, DNA repair, DNA replication and chromosomal stability. DNA accessibility is regulated via a complex set of post-translational modifications of histones, also

called histone code, and nucleosome remodeling.

Applications: WB (1:1000-2000)

IHC-P (1:100-200) IHC-F (1:100-200) IF (1:50-200) ICC/IF (1:50-200)

Reactivity: Human, Mouse, Rat

Predicted MW.: 15 kDa

Subcellular Location: Nucleus