bsm-63117R

[Primary Antibody]



Acetyl-Histone H4 (K6) Recombinant Rabbit mAb $A N T \mid B \mid$

www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

DATASHEET -

Host: Rabbit Isotype: IgG Clonality: Recombinant CloneNo.: 4D5 GeneID: 121504 **SWISS:** P62805

Target: Acetyl-Histone H4 (K6)

Immunogen: A synthesized peptide derived from human Histone H4 around the

acetylation site of K6: RG-(acetyl)K-GG.

Purification: affinity purified by Protein A

Storage: 10mM phosphate buffered saline(pH 7.4) with 150mM sodium chloride, 0.05% BSA, 0.02% Proclin300 and 50% glycerol.

Store at 4°C for short term. Store at -20°C for long term. Avoid

repeated freeze/thaw cycles.

Background: Core component of nucleosome. Nucleosomes wrap and compact

machineries which require DNA as a template. Histones thereby play a central role in transcription regulation, DNA repair, DNA replication and chromosomal stability. DNA accessibility is regulated via a complex set of post-translational modifications of histones, also called histone code, and nucleosome remodeling.

DNA into chromatin, limiting DNA accessibility to the cellular

Subcellular Location: Nucleus

Applications: WB (1:1000-1:2000)

IHC-P (1:100-1:200) IHC-F (1:100-1:200) **IF** (1:50-1:200) ICC/IF (1:50-1:200) **IP** (1:20-1:50)

Reactivity: Human, Mouse, Rat

Predicted MW.: 11 kDa