

**bsm-63153R****[ Primary Antibody ]**

www.bioss.com.cn

sales@bioss.com.cn

techsupport@bioss.com.cn

400-901-9800

## Histone H2B (Acetyl K20) Recombinant Rabbit mAb

### — DATASHEET —

**Host:** Rabbit**Isotype:** IgG**Clonality:** Recombinant**CloneNo.:** 8D1**GeneID:** 3018**SWISS:** P33778**Target:** Histone H2B (Acetyl K20)**Immunogen:** A synthesized peptide derived from human Histone H2B around the acetylation site of K20: VT-(acetyl)K-AQ.**Purification:** affinity purified by Protein A**Storage:** 10mM phosphate buffered saline(pH 7.4) with 150mM sodium chloride, 0.05% BSA, 0.02% Proclin300 and 50% glycerol. Store at 4°C for short term. Store at -20°C for long term. Avoid repeated freeze/thaw cycles.**Background:** Core component of nucleosome. Nucleosomes wrap and compact DNA into chromatin, limiting DNA accessibility to the cellular machineries which require DNA as a template. Histones thereby play a central role in transcription regulation, DNA repair, DNA replication and chromosomal stability. DNA accessibility is regulated via a complex set of post-translational modifications of histones, also called histone code, and nucleosome remodeling.**Applications:** **WB** (1:1000-1:5000)**IHC-P** (1:100-1:200)**IHC-F** (1:100-1:200)**IF** (1:50-1:200)**Flow-Cyt** (1:20-1:100)**ICC/IF** (1:50-1:200)**IP** (1:20-1:50)**ChIP** (1:20-1:50)**Reactivity:** Human, Mouse, Rat**Predicted MW.:** 14 kDa**Subcellular Location:** Nucleus