bsm-63300R

[Primary Antibody]

Formyl-Histone H3(K123) Recombinant Rabbit mAb



www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

- DATASHEET		400-901-9800
Host: Rabbit Clonality: Recombinant	lsotype: IgG CloneNo.: 6G6	Applications: WB (1:1000-2000) IHC-P (1:100-200) IHC-F (1:100-200)
GenelD: 8350	SWISS: P68431	IF (1:100-200)
Target: Formyl-Histone H3(K123) Immunogen: A synthesized peptide derived from human Histone H3.1 around the formylation site of K123: IMP-(Fo)K-DI.		Reactivity: Human, Mouse, Rat und the
Purification: affinity purified by Protein A		Duadiated
Storage: 10mM phosphate buffered saline(pH 7.4) with 150mM sodium chloride, 0.05% BSA, 0.02% Proclin300 and 50% glycerol. Store at 4°C for short term. Store at -20°C for long term. Avoid repeated freeze/thaw cycles.		MAA
Background: Core component of nucleosome. Nucleosomes wrap and compact DNA into chromatin, limiting DNA accessibility to the cellular machineries which require DNA as a template. Histones thereby play a central role in transcription regulation, DNA repair, DNA replication and chromosomal stability. DNA accessibility is regulated via a complex set of post-translational modifications of histones, also called histone code, and nucleosome remodeling.		eby play plication a