## bs-15589R

# [ Primary Antibody ]

# SCOT2 Rabbit pAb

www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

DATASHEET -

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

GeneID: 64064 SWISS: Q9BYC2

Target: SCOT2

**Immunogen:** KLH conjugated synthetic peptide derived from human SCOT2:

101-200/517.

**Purification:** affinity purified by Protein A

Concentration: 1mg/ml

**Storage:** 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50%

Glycerol.

Shipped at 4°C. Store at -20°C for one year. Avoid repeated

freeze/thaw cycles.

**Background:** OXCT2 is a testis-specific succinyl-CoA:3-oxoacid CoA transferase

(EC 2.8.3.5), which catalyzes the reversible transfer of CoA from succinyl-CoA to acetoacetate in the first step of ketone body utilization. See also OXCT1 (MIM 601424).[supplied by OMIM, Mar

2008]

Applications: WB (1:500-2000)

Reactivity: Human (predicted: Mouse,


Rat, Rabbit, Sheep,

Chicken, Horse)


Predicted 52 kDa MW.:

Subcellular Location: Cytoplasm

### VALIDATION IMAGES



Sample: SY5Y(Human) Cell Lysate at 30 ug Primary: Anti- SCOT2 (bs-15589R) at 1/1000 dilution Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution Predicted band size: 52 kD Observed band size: 52 kD



Sample: 293T(Human) Cell Lysate at 30 ug Primary: Anti- SCOT2 (bs-15589R) at 1/1000 dilution Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution Predicted band size: 52 kD Observed band size: 52 kD