bs-8391R

[Primary Antibody]

RBX1 Rabbit pAb




www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

| - DATASHEET | | 400-901-9800 |
|--|---|--|
| Host: Rabbit | Isotype: IgG | Applications: IHC-P (1:100-500) |
| Clonality: Polyclonal | | IHC-F (1:100-500) IF (1:50-200) |
| GenelD: 9978 | SWISS: P62877 | |
| Target: RBX1 | | Reactivity: Human, Mouse (predicted: Rat, Cow) |
| Immunogen: KLH conjugate 1-70/108. | ed synthetic peptide derived from human RBX1: | |
| Purification: affinity purified by Protein A | | Predicted MW.: ^{12 kDa} |
| Concentration: 1mg/ml | | MW.: |
| Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles. | | Subcellular Location: Cytoplasm ,Nucleus |
| Background: This locus encodes a RING finger-like domain-containing protein. The encoded protein interacts with cullin proteins and likely plays a role in ubiquitination processes necessary for cell cycle progression. This protein may also affect protein turnover. Related | | |


pseudogenes exist on chromosomes 2 and 5.[provided by RefSeq,

– VALIDATION IMAGES

Sep 2010]



Paraformaldehyde-fixed, paraffin embedded (human colon carcinoma); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37°C for 30min; Antibody incubation with (ROC1 RNF75) Polyclonal Antibody, Unconjugated (bs-8391R) at 1:200 overnight at 4°C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructionsand DAB staining.



Paraformaldehyde-fixed, paraffin embedded (mouse stomach); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37°C for 30min; Antibody incubation with (ROC1 RNF75) Polyclonal Antibody, Unconjugated (bs-8391R) at 1:200 overnight at 4°C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructionsand DAB staining.