

www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

## LC3B Rabbit pAb

Catalog Number: bs-4843R

Target Protein: LC3B
Concentration: 1mg/ml

Form: Liquid

Host: Rabbit

Clonality: Polyclonal

Isotype: IgG

Applications: WB (1:200-1000)

Reactivity: Human, Mouse, Rat

Predicted MW: 14 kDa

Entrez Gene: 67443

Swiss Prot: Q9CQV6

Purification: affinity purified by Protein A

Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.


Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

Background: A major contributor to cellular homeostasis is the ability of the cell to strike a balance

between the formation and degradation/removal of its cellular components. This process of internal cellular turn-over is called autophagy (self-eating), and is facilitated by a pathway of around 16 interacting proteins in the human. LC3, a ubiquitin-like modifier protein, is the human homolog of yeast Apg8 and is involved in the formation of autophagosomal vacuoles, called autophagosomes. LC3 is expressed as 3 splice variants (LC3A, LC3B and LC3C), which exhibit different tissue distributions and are processed into cytosolic and autophagosomal membrane-bound forms, termed LC3-I and LC3-II, respectively. A disruption to the autophagic process is now associated with the progression of several cancers, neurodegenerative disorders and cardiac pathologies, where LC3 is widely

employed as a marker for autophagy.

## **VALIDATION IMAGES**



Sample: Lane 1: Mouse Cerebrum tissue lysates Lane 2: Mouse Cerebellum tissue lysates Lane 3: Mouse Testis tissue lysates Lane 4: Rat Cerebrum tissue lysates Lane 5: Rat Cerebellum tissue lysates Lane 6: Rat Testis tissue lysates Primary: Anti-LC3B (bs-4843R) at 1/1000 dilution Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution Predicted band size: 14 kDa Observed band size: 15,17 kDa

## PRODUCT SPECIFIC PUBLICATIONS

[IF=18] Zetao Wang. et al. Nano-vibration exciter: Hypoxia-inducible factor 1 signaling pathway-mediated extracellular vesicles as bioactive glass substitutes for bone regeneration. BIOACT MATER. 2024 Oct;40:460 WB; MOUSE. 10.1016/j.bioactmat.2024.06.023 [IF=14.5] Huijuan Zhang. et al. In situ autophagy regulation in synergy with phototherapy for breast cancer treatment. ACTA PHARM SIN B. 2023 Nov;: WB; MOUSE. 10.1016/j.apsb.2023.11.019

[IF=14.593] Liwen Luo. et al. Injectable cartilage matrix hydrogel loaded with cartilage endplate stem cells engineered to release exosomes for non-invasive treatment of intervertebral disc degeneration. Bioact Mater. 2021 Dec;: IF; Rat. 10.1016/j.bioactmat.2021.12.007

[IF=6.2] Haolin Duan. et al. MT-TN mutations lead to progressive mitochondrial encephalopathy and promotes mitophagy. BBA-MOL BASIS DIS. 2024 Apr;1870:167043 WB; Human . 38320662

[IF=6.048] Pan Huang. et al. Long-term treatment of Nicotinamide mononucleotide improved Age-related Diminished Ovary Reserve through enhancing the mitophagy level of granuloas cellsin mice. J Nutr Biochem. 2021 Nov;:108911 IF; MOUSE . 34801690